Figure 1: Self Addressing Microlocations (Microlithographic Fabrication)




Figure 2: Microlocation Design Features





Figure 3: Self-Addressable 64 Microlocation Chip



CHIP LAYOUT

Figure 4: DNA Attachment Chemistry




Figure 5: Micro-Machined Device (Exploded View)






Figure 6: Micro-Machined Device (Cross-Section)



Common Buffer Reservoir (59)

Figure 7: Electronically Controlled Concentration Effect






Figure 8: Electronic Addressing and Self-Directed Assembly of Device.




Figure 9: Electronically Controlled Hybridization Process






Figure 11: Electronic Stringency Control (ESC) of Hybridization Process











Figure 12: Electronically Controlled Fluorescent Dye Detection Process



\_\_\_

Figure 13: Electronically Controlled Template Replication








Figure 14: Electronically Directed Combinatorial Synthesis.




Figure 15. The factor

Relative Sensitivity for Mismatch Discrimination







Figure 16


## **Electronic Restriction Cleavage**





Addressable Micro-Locations











Address ML-1 with M13mp18 target, restriction probe and TR probe (Xba 1 site)

Address ML-2 with M13mp8 target, restriction probe and F probe (No Xba 1 site)

Xba 1 restriction digest at ML-1

Restriction fragment moved to ML-3

ML-2 not restricted by Xba 1

Figure 17




Figure 18

Complete APEX System with Sample Preparation

